



OSPREY GLOBAL CATALOG



LIFETIME DEDICATION

I want to thank our incredible Osprey team for their hard work and dedication to building this company to where it is today. Osprey has now grown its offices/warehouse into a massive new 20,000 square foot state of the art facility that incorporates over 10,000 sq ft of inventory alone. Our chamberable boresight system, originally built and sold to the US military, has been both tested and used in the Iraq and Afghanistan wars. Sales of the Osprey boresight is now in the millions and growing each and every year. Our reflex sights and scope sales are doubling every year, and anyone who purchases Osprey products will agree that our products are the very best dollar-for-dollar value on the market.

In appreciation,

Keith Oliver

Osprey CEO





CONTENTS


- 5 | SCOPE FEATURES & BENEFITS
- 6 | RETICLE PATTERNS
- 7 | COMPACT FEATURES
- 8 | COMPACT SCOPES
- 10 | STANDARD SCOPES
- 14 | TACTICAL SCOPES
- 16 | ELITE SCOPES
- 18 | FIRST FOCAL PLANE SCOPES
- 20 | OSPREY USA SCOPES
- 22 | SPOTTING SCOPES & TRIPODS
- 24 | BINOCULARS / MONOCULARS
- 26 | RANGEFINDERS
- 28 | RED DOT & REFLEX SIGHTS
- 31 | LASERS
- 34 | FLASHLIGHTS
- 36 | HEADLAMPS
- 37 | BULLET DROP COMPENSATORS
- 38 | BORESIGHTS & ARBORS
- 40 | ACCESSORIES
- 44 | COMING SOON
- 45 | DEALER INFO & WARRANTY

SCOPE FEATURES & BENEFITS

- | Built in only US owned and managed facility in China
- | Chinese labor is utilized, but no major Chinese components
- | US made 3M or loctite epoxy used in all bonding applications
- | Imported hermetic grease is used for superior waterproof and fog proof performance
- | Recoil tested at 50 BMG parameters (1000g/0.4-0.8 ms)
- | Waterproof tested at 25 cm/40 degrees C for three minutes
- | Fog-proof tested at 20 degrees C for thirty minutes and removed to ambient
(Each scope must completely clear in 2 minutes)
- | Each scope is spin centered for balance before leaving the factory
- | No nonsense lifetime warranty / three business day repair or replacement
- | Optical lenses from Hoya of Japan
- | 100% of all units are inspected to ensure quality
- | Each scope is equipped with air-to-glass surfaces and are fully multi-coated
- | Inside each body tube is specially treated with anti-reflective paint and light stops to reduce internal reflections




RETICLE PATTERNS




FIRST FOCAL PLANE

First Focal Plane scopes incorporate its reticle towards the front of your rifle scopes erector tube assembly and your magnification lenses. Your reticle will appear to be the same size regardless of the magnification power because it is placed in front of the magnification lens. In short the reticle grows and shrinks at the same rate as the target when you adjust the magnification. This allows you to accurately use the reticle at any magnification setting.



MIL DOT


The Mildot reticle is named for the dots and spaces it is composed of, the space between the dots is on mil. A mil is a unit of angular measurement like degrees or minutes of angle. It represents one unit of angular width for every 1,000 units of distance!! This arrangement is very useful for determining the distance of objects of known size



RANGE FINDER

The Ranging reticle is designed to enhance the long range accuracy and ranging capabilities of the average shooter. The hash marks are spaced in 5 MOA increments, this is used to quickly determine the size of larger objects, as well as used for bullet drop compensation for long range targets

COMPACT FEATURES



OBJECTIVE LENS

Front lens denoted by the last number in the scope description (i.e. 3-9x42 means the diameter of the front lens is 42 mm)

VARIABLE MAGNIFICATION

The “power” of the scope denoted by the first series of numbers in the scope description. The power will bring an object in closer (i.e. 3-9x42 means the scope has a “variable” power from 3 to 9)

WINDAGE ADJUSTMENT

The turret on this side of the scope will adjust the reticle from left and right allowing for wind conditions.

ELEVATION ADJUSTMENT

The turret on top of the scope will adjust the reticle up and down allowing for bullet dropage.

ILLUMINATION KNOB

The compact scopes have a 3 color illuminated reticle in red, green or blue. There are 3 brightness settings for each color. This is also where the CR2032 battery is inserted.

OCULAR LENS

The viewing lens of the scope closest to the eye. The ring of the ocular lens adjust the clarity of the reticle.

EXIT EYE PUPIL


The larger the exit pupil the brighter the image.

COMPACT SCOPES

1-6X24 IRF




- Battery: CR2032
- Tube: 30mm
- Magnification: 1-6
- Eye Relief: 7.2"- 3.0"



1-4X24 MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 1-4
- Eye Relief: 7.87"- 4.72"



COMPACT 4X32 MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 4
- Eye Relief: 3"



COMPACT 3-9X42 IRF/MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 3-9
- Eye Relief: 8.85"- 4.91"



BULLET DROP COMPENSATORS



COMPACT

- CP .308
- CP 7.62x39

- CP 223
- CP 30-06


* These BDCs only work with our Osprey model pictured above, the Compact 3-9x42 IRF/MDG.

STANDARD SCOPES

SDS3-9x40S




- Battery: CR2032
- Tube: 1 inch
- Magnification: 3-9
- Eye Relief: 5.51" - 3.14"



SDS3-9X40 MDG



- Battery: CR2032
- Tube: 1 inch
- Magnification: 3-9
- Eye Relief: 5.51" - 3.14"






SD3-12X44 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 3-12
- Eye Relief: 7.6" - 4.5"



4x32 CB




- Battery: CR2032
- Tube: 1"
- Magnification: 4x
- Eye Relief: 4"



CP3-9X40 MD




- Battery: CR2032
- Tube: 1 inch
- Magnification: 3-9
- Eye Relief: 3.85"-3.15"



SD1.5-5X32 MDG




- Battery: CR2032
- Tube: 1 inch
- Magnification: 1.5-5
- Eye Relief: 4.8"-3.75"



2.5-10X40 MDG WITH SMW GREEN LASER




- Battery: CR2032, CR2
- Tube: 1 inch
- Magnification: 2.5-10
- Eye Relief: 4.72"- 3.13"



SD2.5X20DP




- Battery: none
- Tube: 1 inch
- Magnification: 2.5
- Eye Relief: 5.95"



SD4X32MD




- Battery: none
- Tube: 30mm
- Magnification: 4
- Eye Relief: 3.82"



SD6X42MOA



- Battery: none
- Tube: 30mm
- Magnification: 6
- Eye Relief: 3.15"




TACTICAL SCOPES

TACTICAL 4-16X50 IRF/MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 4-16
- Eye Relief: 5.9" - 3.14"



TACTICAL 6-24X50 IRF/MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 6-24
- Eye Relief: 5.51" - 3.14"



TACTICAL 10-40X50 IRF/MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 10-40
- Eye Relief: 4.72" - 3.13"



TACTICAL 5-30X56 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 5-30
- Eye Relief: 7.09" - 3.54"



BULLET DROP COMPENSATORS



TACTICAL

- TA .223
- TA .308

- TA 7.62 x 39
- TA 30-06

* These BDCs only work with the following Osprey models:

- Tactical 4-16x50 IRF/MDG
- Tactical 6-24x50 IRF/MDG
- Tactical 10-40x50 IRF/MDG


ELITE SCOPES



ES4-16X56 MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 4-16
- Eye Relief: 7.09"- 3.54"



ES8-32X56 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 8-32
- Eye Relief: 6.30"- 3.35"



ES1-12X26 IR



- Battery: CR2032
- Tube: 34mm
- Magnification: 1-12
- Eye Relief: 7.72"- 3.5"




FIRST FOCAL PLANE PLANE SCOPES



FIRST FOCAL PLANE ES1-10X28



- Battery: CR2032
- Tube: 35mm
- Magnification: 1-10
- Eye Relief: 7.72"-3.5"






FIRST FOCAL PLANE ES3-30X56




- Battery: CR2032
- Tube: 35mm
- Magnification: 3-30
- Eye Relief: 6.5"-3.25"



FIRST FOCAL PLANE ES4-40X56



- Battery: CR2032
- Tube: 35mm
- Magnification: 4-40
- Eye Relief: 5.8"-3.35"




OSPREY USA SCOPES



ELITE SERIES 3.5-25x56




- Battery: CR2032
- Tube: 35mm
- Magnification: 3.5-25
- Eye Relief: 6.5"-3.8"



FIRST FOCAL PLANE Elite Series 5-25x56




- Battery: CR2032
- Tube: 34mm
- Magnification: 5-25
- Eye Relief: 4.5"-3.5"



SD3-9X40 MD



- Tube: 1 inch
- Magnification: 3-9
- Eye Relief: 5.51"- 3.14"



FIRST FOCAL PLANE Elite Series 2.5-20x50



THIS PRODUCT IS
COMING SOON!

SPOTTING SCOPES & TRIPODS

SPOTTING SCOPE 15-45x60



- Length: 13.2 inches
- Prism Glass: BAK-4
- Magnification: 15-45
- Eye Relief: 15mm- 12mm

SPOTTING SCOPE 20-60x80



- Length: 17.2 inches
- Prism Glass: BAK-4
- Magnification: 20-60
- Eye Relief: 13.5mm- 11mm

TP-OSP-15-45x60



- Max Operating Height: 1,290 mm
- Min. Operating Height: 420 mm
- Field Height: 445 mm
- Max Tube Diameter: 19.8 mm
- Max Load Capacity: 2.5 kg
- Net Weight: 8.82 ounces

TP-OSP-20-60x80



- Max Operating Height: 1,400 mm
- Min. Operating Height: 545 mm
- Field Height: 560 mm
- Max Tube Diameter: 21.2 mm x 16.2 mm
- Max Load Capacity: 3 kg
- Net Weight: 35 ounces

OSP-CAM-ADP



Attach any smart phone to take crystal clear pictures through the Hoya lenses of our spotting scopes!



BINOCULARS & MONOCULARS

10-22x50 BINOCULARS



- Black matte
- Waterproof, fog proof
- Argon gas filled
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

10x42 BINOCULARS



- Black matte/rubber coated
- Waterproof, fog proof
- BAK4 prism
- Argon gas filled
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

8x34 BINOCULARS



- Rubber coated
- Waterproof, fog proof
- BAK4 prism
- Argon gas filled
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

10x26 BINOCULARS



- Black matte
- Waterproof, fog proof
- BAK4 prism
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

10x25 BINOCULARS



- Black matte or camouflage
- Waterproof, fog proof
- Fully multi-coated lens
- Comes with case
- Lifetime warranty

10x42 GREEN BINOCULARS



- Green matte
- Waterproof, fog proof
- BAK4 prism
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

8-42 MONOCULAR



- Black matte
- Waterproof, fog proof
- Fully multi-coated lens
- Comes with case
- Lifetime warranty

OSP-MON-7-17x30



- Black matte
- Waterproof, fog proof
- Fully multi-coated lens
- Comes with case
- Lifetime warranty



RANGEFINDERS



WEAPONS MOUNTABLE LASER RANGEFINDER



This laser rangefinder is an all metal shell recoil-resistant with bracket that can be set to any standard picatinny.

400M RANGEFINDER



This rangefinder comes complete with Hoya Lenses and has pin-point accuracy up to a maximum of 400 yards.

10x42 Laser Rangefinder Binocular



Experience the best of both worlds with the BIN-OSP-10x42LRF, seamlessly integrating the precision of a laser rangefinder with the clarity of binoculars.

1200Y RANGEFINDER



Elevate your precision shooting with the Osprey Global 1200-Yard Laser Rangefinder, designed for accurate distance measurement.



RED DOT & REFLEX SIGHTS

PISTOL MICRODOT



- Battery: CR2032
- Length: 2 inches
- Weight: 2.2 ounces
- Illumination: red dot

OSP-RD-FO-GL



- Battery: CR1620, 14250 (LASER)
- Length: 12.05 cm
- Weight: 10.9 ounces
- Illumination: red & green dot



OSP-RD-FO



- Battery: CR2032
- Length: 12.05 cm
- Weight: 11.1 ounces
- Illumination: red & green dot

MRS-OSP-COMP



- Output Power < 0.39MW
- Wavelength 650nm
- Class 1 Laser Product
- Voltage 3V
- Battery: 1pc of CR1632
- Body Material: Aluminum Alloy
- Objective Lens: 22mmx16mm
- Lens Coating: Multi Coated
- Dimensions (Not including base): 1.6"x0.9"x0.8"
- Weight 1.7oz (with battery)
- 2MOA

MRS-OSP-COMPGD



- Output Power < 0.39MW
- Wavelength 520nm
- Class 1 Laser Product
- Voltage 3V
- Battery: 1pc of CR1632
- Body Material: Aluminum Alloy
- Objective Lens: 22mmx16mm
- Lens Coating: Multi Coated
- Dimensions (Not including base): 1.6"x0.9"x0.8"
- Weight 1.7oz (with battery)
- 3MOA
- Shake to wake feature

MRS-OSP-FULL



- Output Power < 0.39MW
- Wavelength 650nm
- Class 1 Laser Product
- Voltage 3V
- Battery: 1pc of CR1632
- Body Material: Aluminum Alloy
- Objective Lens: 22.5mm x 16mm
- Lens Coating: Multi Coated
- Dimensions (Not including base): 1.8"x1"x0.95"
- Weight 2.2oz (with battery)
- 2MOA

MRS-OSP-FULLGD




- Output Power < 0.39MW
- Wavelength 520nm
- Class 1 Laser Product
- Voltage 3V
- Battery: 1pc of CR1632
- Body Material: Aluminum Alloy
- Objective Lens: 22.5mm x 16mm
- Lens Coating: Multi Coated
- Dimensions (Not including base): 1.8"x1"x0.95"
- Weight 2.2oz (with battery)
- 3MOA
- Shake to wake feature

HGMRQR




- Battery: LR41 (3)
- Length: 3.2 inches
- Weight: 155 grams
- Illumination: red & green



DSMRQR



- Battery: CR2032
- Length: 3.3 inches
- Weight: 195 grams
- Illumination: red, green and blue



RSMRQR



- Battery: LR41 (3)
- Length: 3.2 inches
- Weight: 155 grams
- Illumination: red & green



LASERS

GRN-OSP-GLR



- Battery: CR 1/3 N
- Length: 2 inches
- Weight: 5.53 ounces

MINI RED LASER



- Battery: 3 X LR41
- Length: 1.125 inches
- Weight: 1.1 ounces

RAIL GREEN LASER



- Battery: 2 X CR 1/3 N
- Length: 2.5 inches
- Weight: 1.57 ounces

ULTRA THIN RED LASER



- Battery: 3 X LR44
- Length: 2.4 inches
- Weight: 1.12 ounces

MINI GREEN LASER COMBO



- Battery: CR2
- Length: 1.9 inches
- Weight: 3 ounces
- 280 lumen flashlight



ULTRA THIN GREEN LASER



- Battery: 4 X LR44
- Length: 2.4 inches
- Weight: 1.12 ounces



RIFLE GREEN LASER



- Battery: CR123
- Length: 3.54 inches
- Weight: 4.2 ounces



GREEN LASER COMBO



- Battery: CR123A lithium
- Length: 3.3 inches
- Weight: 5 ounces
- 300 lumen flashlight

LASER DESIGNATOR



- Battery: CR123A lithium
- Length: 6.3 inches
- Weight: 8.96 ounces

BATTLEGRIP GREEN OR BLUE LASER



- Battery: 3 X CR123A lithium
- Length: 7.5 inches
- Weight: 20 ounces

RIFLE BLUE LASER



- Battery: CR123A lithium
- Length: 3.5 inches
- Weight: 3.7 ounces

FLASHLIGHTS

FL-OSP-230 TACTICAL LIGHT



- Battery: CR123A lithium
- Lumens: 230
- Length: 3.15 inches
- Weight: 3 ounces
- LED: CREE XPE R3

FL-OSP-600 TACTICAL LIGHT



- Battery: 2 x CR123A lithium
- Lumens: 600
- Length: 5.63 inches
- Weight: 5.43 ounces
- LED: CREE XML U2

HHFL-OSP-600L



- Battery: 3 x AAA
- Lumens: 600
- Length: 6.25 inches
- Modes: 100%, 50%, strobe
- LED: CREE XML2-U2

HHFL-OSP-1000L



- Battery: 3 x AAA
- Lumens: 1000
- Length: 6.25 inches
- Modes: 100%, 50%, 10%, SOS, strobe
- LED: CREE XPL-V4

FL-OSP-300L



- Battery: 1 x CR2
- Lumens: 300
- Length: 2.54 inches
- Modes: 100%, strobe
- LED: CREE XPG2-S3

FL-OSP-500L



- Battery: 1 x CR123A
- Lumens: 500
- Length: 3 inches
- Modes: 100%, strobe
- LED: CREE XML2-U2

FL-OSP-600L



- Battery: 2 x CR123A
- Lumens: 600
- Length: 3.23 inches
- Modes: 100%, strobe
- LED: CREE XML2-U2

FL-OSP-220L



- Battery: Rechargeable
- Lumens: 220
- Length: 1.79 inches
- Modes: 6 brightness modes plus strobe



HEADLAMPS

HL-OSP-600L



- Battery: 1 x 18650 li-ion (rechargeable)
- Lumens: 600
- Modes: 100%, 50%, 25%
- Weight: 3.7 ounces
- LED: 1 x CREE XML2-U2

HL-OSP-400L



- Battery: 2 x CR123A
- Lumens: 400
- Modes: 100%, strobe
- Weight: 6.1 ounces
- LED: 1 x CREE XPG2-S3

HL-OSP-320L



- Battery: 3 x AAA
- Lumens: 320
- Modes: 100%, 50%, 25%
- Weight: 3.9 ounces
- LED: 1 x CREE XPG2

HL-OSP-180L



- Battery: 3 x AAA
- Lumens: 180
- Modes: n/a
- Weight: 3.6 ounces
- LED: 1 x LG535

BULLET DROP COMPENSATORS

GREEN LASER BULLET DROP COMPENSATOR



- Battery: CR123A
- Battery Life: 18 hours
- Dimensions: 2.7x2.2x1.9 in
- Weight: 6.2 ounces



The perfect size for your rifles when you need a fast effective up close shot with a 3 MOA. The Green Laser Bullet Drop Compensator comes with the .223 knob (other caliber knobs available separately: .25-06, .243, .308, .270 WIN, .30-06, & 7.62x39). It is backed by Osprey's industry leading no-nonsense lifetime warranty.

BULLET DROP COMPENSATORS



STANDARD

- 25-06
- 243
- 308
- 223 (comes with green laser unit)
- 270WIN
- 30-06
- 7.62x39

BORESIGHTS & ARBORS

223 GREEN LASER BORESIGHT



- Battery: 6 x LR41
- Battery Life: 18 hours
- Dimensions: 2.7x2.2x1.9 in
- Weight: 6.2 ounces

ARBORS



The new boresight arbors afford Osprey's discerning customer base the ability to purchase one powerful boresight then incorporate various arbors to work in conjunction with one singular boresight. The arbors are CNC machined and are meticulously engineered ballistically and schematically with even the shoulder taper taken into consideration. Simply put the new green laser boresight and arbors are by far the most precise and brightest boresighting tool in the industry.

Available in:

- | | | |
|------------|-----------|-------------|
| • 12 gauge | • 30-06 | • 338 Lapua |
| • 20 gauge | • 300 WIN | • 7.62x54 |
| • 50 cal | • 300 WSM | • 8MM |
| • 264 | • 308 | |



OSPREY BORESIGHT OVERVIEW

Keith Oliver, Osprey Global CEO, is the first inventor of the chamberable boresight.

Patent# 6,622,414

RE 429,40

The Osprey Laser Boresight System is the ideal solution to sight in and check your zero. This unit is a caliber specific aid that fits your gun's chamber.

We will get you within 1.5" of dead center.



RIFLE AND PISTOL BORESIGHTS

Available in:

- 12 gauge
- 17HMR
- 20 gauge
- 22-250
- 223 (also fits: 5.6 nato, 6x47, 6x45, 257 kimber, 222)
- 224 valk
- 22 long rifle
- 30-06 (also fits: 270 win, 25:06)
- 30-30
- 30 carbine
- 300 AAC Blackout (also fits 7.62x35mm)
- 300 WIN
- 300WSM (also fits 270WSM)
- 380ACP (also fits 380 Auto)
- 264 win (also fits: 7mm mag, 338 win, 7mm weatherby, 340 weatherby, 257 weatherby, 358 norma mag, 308 norma mag, 7mm shooting times western)
- 308 (also fits: 243 win/7mm, 08, 260, 7.62x54, 307win, 444 marlin, 220 jay bird, 22mark-2, 356, 7mm shooting time eastern, 7.62x51, 358 win)
- 338 lapua
- 38 special (also fits: 357 mag)
- 40 Smith & Wesson (also fits: 10mm)
- 44 Remington
- 45-70 Government
- 45 ACP
- 45 colt (also fits: 410 shotgun)
- 50 BMG
- 6.5 creedmoor green
- 7.62x39
- 7.62x54
- 7MM REM MAG (also fits 338 WIN MAG, 264WIN MAG)
- 8mm
- 9mm

ACCESSORIES

EM-OSP-82DB



Cushioned for enhanced comfort while shooting a box of your favorite rounds. Ultra low profile protects your hearing without interfering with your shot (NNR noise reduction rating 25db)

TACTICAL SLINGS



Available in green, black and tan. Osprey Bungee 1 or 2 Point Sling converts from two point to single point. This Osprey Gun Sling has dual high strength bungee construction and features HK snap hook adapter covered with elastic cover and side-quick release buckle.

FREE FLOATING KEYMOD HANDGUARDS



Opsrey's free floating keymod handguards come in 4 lengths. Sizes: 7 inch, 10 inch, 12 inch and 15 inch.

QUAD RAILS



The Osprey 2-piece/ carbine length quad rail handguard allows the operator to mount vertical fore grips, lights, lasers and optics on the handguard. Lightweight aluminum construction adds versatility without adding weight. Available in black, tan and green.

4" SUNSHADES FOR SCOPES

Made of aluminum alloy. Reduces glare in bright light.
Items: SS4-OSP-E56MM, SS4-OSP-E50MM,
SS4-OSP-56MM, SS4-OSP-E28MM



QUICK LATCH MOUNTS

Gives you the ability to quickly increase or decrease magnification even with gloves on.
Made specifically for certain Osprey scopes. Available for compact, tactical and 1-6 model scopes.



45 DEGREE ANGLE MOUNT

Allows user to rotate weapon 45 degrees for quick acquisition. Fits a 45 degree offset picatinny mount. Attaches to weaver or picatinny.



4.15 INCH FREE FLOATING HANDGUARD

Made of aluminum alloy. Comes with barrel nut and jam nut, easy to install. Mil spec 1913 picatinny. Fits on AR15, M4 and M16.



MID-LENGTH FREE FLOATING HANDGUARD FOR AR15

Made of aluminum alloy. Has 4 detachable rails, optional rail placement even at 45 degrees, easy to install. Mil spec 1913 picatinny. Fits on AR15, M4 and M16.



RISERS

Made of aluminum alloy, available in multiple lengths and heights (inch or half inch).




QUICK DETACH SLING PLATE

One piece sling mount that goes over castle nut. Ambidextrous with push button on top for quick release from sling.



LADDER RAIL COVERS

These have 4 pieces and can be cut to size carbine length. Protects unused rail and safe guards hands. Available in black, tan and green.




RUBBER RAIL COVERS

Engineered to survive the most extreme conditions. Constructed from durable, heat and chemical resistant polymer resin. Protects unused rail space from damage. Available in black, tan and green.




F&N FAL QUAD RAIL HANDGUARD

This FAL 308 quad rail handguard is made of aluminum alloy. Mil spec 1913 picatinny.



H&K MP5 DOUBLE RAIL CLAW MOUNT

H&K MP5 double rail claw mount with picattiny rail mounts. Allows the user to accessorize.



PISTOL RAIL MOUNT

Easily convert your handgun to mount additional sights.



ONE PIECE MOUNT

Easily mount and detach your scope from gun to gun.



STEEL SCOPE MOUNTS

Fits 30mm scopes. Sizes: Low steel rings height 1 5/8", Medium steel rings height 1 3/4", High steel rings height 1 7/8", X-High steel rings height 2 1/8"




WHISTLE

This loud attention-getting-blast is essential for lost campers, children, crime victims or to ward off predators and animals. Whistle made of aluminum. Size: 15 x 60 MM. 118 decibels. Item: WH-OSP-118DB



SSH-OSP-SLG

Compact and easy to install. An ideal sling mounting solution.



HS-OSP-CP

Small holster for sub-compact.
Material: 1680 D Oxford cloth.
Size: 155 x 105 MM.



HS-OSP-LG

Large holster for full size.
Material: 1680 D Oxford cloth.
Size: 192 x 108 MM.



COMPACT BULLET DROP COMPENSATORS



Sizes: CP .308 BDC, CP 7.62X39 BDC, CP 223 BDC, CP 30-06 BDC

* These BDCs only work with our Osprey model Compact 3-9x42 IRF/MDG.

TACTICAL BULLET DROP COMPENSATORS



Sizes: TA .223 BDC, TA .308 BDC, TA 7.62x39 BDC, TA .30-06 BDC

* These BDCs only work with the following Osprey models:
Tactical 4-16x50 IRF/MDG, Tactical 6-24x50 IRF/MDG, Tactical 10-40x50 IRF/MDG

COMING SOON!

MINI RED DOT OPTICS
READY SIGHT WITH
MULTI RETICLES



THIS PRODUCT IS
**COMING
SOON!**

BLUE LASER
FLASHLIGHT COMBO



THIS PRODUCT IS
**COMING
SOON!**

COMPACT ONE
PIECE MOUNT



THIS PRODUCT IS
**COMING
SOON!**

RANGEFINDER
BINOCULAR WITH
RED OLED DISPLAY



THIS PRODUCT IS
**COMING
SOON!**

MINI BATTLEGRIP WITH
BLUE AND GREEN
LASER AND 1000
LUMEN FLASHLIGHT



THIS PRODUCT IS
**COMING
SOON!**

OSPREYSCOPES.COM

LIFETIME WARRANTY

At Osprey Global, we will repair or replace your Osprey product in the event it becomes damaged or defective—at no charge to you. If we cannot repair your product, we will replace it with a product in perfect working order of equal or better physical condition.

You see, it doesn't matter how it happened, whose fault it was, or where you purchased it. You can count on our warranty for all Osprey Global rifle scopes, tactical scopes, compact, first focal planes, red dots, lasers, binoculars, bore sights, and accessories.

ONLINE DEALERS & PARTNERS



BLUEGRASS OPTICS

