











# CONTENTS

4	WARRANTY
5	COMPACT SCOPES
9	STANDARD SCOPES
13	TACTICAL SCOPES
16	ELITE SCOPES
18	FIRST FOCAL PLANE SCOPES
20	SPOTTING SCOPES & TRIPODS
23	BINOCULARS / MONOCULARS
25	RANGEFINDERS
26	RED DOT & REFLEX SIGHTS
32	LASERS
36	FLASHLIGHTS
38	HEADLAMPS
39	BORESIGHTS
40	BORESIGHT KITS
41	ACCESSORIES
44	COMING SOON
45	DEALER INFO



# LIFETIME WARRANTY

*At Osprey Global, we will repair or replace your Osprey product in the event it becomes damaged or defective, at no charge to you. If we cannot repair your product, we will replace it with a product in perfect working order.*

*Regardless of the cause or circumstances, you can count on our warranty for all Osprey Global products.*




*"I repurchased my RSMR a few years ago and just did a warranty exchange on it. The guys at Osprey Global are incredible, especially Ron, who made this process much better." -Solomon Dutton*

*"Over the years, I have purchased several Osprey Global optics. I have never had to use the warranty. But I have also never had any issues with their product. If memory serves me correctly, I have 4 scopes and 2 red dots and they have all functioned flawlessly." -Kerry Elliott*




# COMPACT SCOPES

## 1-6x24 IRF



- Battery: CR2032
- Tube: 30mm
- Magnification: 1-6
- Eye Relief: 3.46"
- Weight: 1 lb
- Length: 11.2"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## 1-4x24 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 1-4
- Eye Relief: 3.54"
- Weight: 1 lb
- Length: 10.9"
- Illumination: Red and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches











## COMPACT 4X32 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 4x
- Eye Relief: 3"
- Weight: 1 lb
- Length: 5.5"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## COMPACT 3-9X42 IRF/MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 3-9
- Eye Relief: 4.72"
- Weight: 1 lb
- Length: 9.17"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches









# STANDARD SCOPES

## SD1.5-5X32 MDG



- Battery: CR2032
- Tube: 1 inch
- Magnification: 1.5-5
- Eye Relief: 4.8"-3.75"
- Weight: .7 lb
- Length: 8.5 in
- Illumination: Red, Blue and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches


## SD3-12X44 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 3-12
- Eye Relief: 7.6"- 4.5"
- Weight: 1.3 lbs
- Length: 11.9"
- Illumination: Red, Blue and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches




## SD3-9x40MDG



- Magnification:3-9
- Objective(mm):40
- Tube Diameter(mm):30
- Weight: 1.28 lbs
- Length: 12.6"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## 2.5-10X40 MDG WITH 5MW GREEN LASER



- Battery: CR2032, CR2
- Tube: 1 inch
- Magnification: 2.5-10
- Eye Relief: 4.72"- 3.13"
- Weight: 1.2 lbs
- Length: 7.92"
- Illumination: Red and Green
- Includes: Green Laser, Pressure Pad, Dust Covers, Dust cloth, Batteries, Instruction Manual and Allen Wrenches


## 4x32 CB



- Battery: CR2032
- Tube: 1"
- Magnification: 4x
- Eye Relief: 4.06"
- Weight: 0.6 lbs
- Length: 8.2"
- Illumination: Red and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches



## SD2.5X20DP




- Battery: None
- Tube: 1 inch
- Magnification: 2.5x
- Eye Relief: 5.95"
- Weight: 0.5 lbs
- Length: 7.36"
- Includes: Rings, Dust Covers, Dust cloth, Instruction Manual and Allen Wrenches

## SD4X32MD



- Battery: None
- Tube: 30mm
- Magnification: 4x
- Eye Relief: 3.82"
- Weight: 0.9 lbs
- Length: 11.73"
- Includes: Rings, Dust Covers, Dust cloth, Instruction Manual and Allen Wrenches


## SD6X42MOA



- Battery: None
- Tube: 30mm
- Magnification: 6x
- Eye Relief: 3.15"
- Weight: 1 lb
- Length: 12.12"
- Includes: Rings, Dust Covers, Dust cloth, Instruction Manual and Allen Wrenches




## SDS3-9X40 MDG



- Battery: CR2032
- Tube: 1 inch
- Magnification: 3-9
- Eye Relief: 4.55" - 3.58"
- Weight: 1.3 lbs
- Length: 13.11"
- Illumination: Red, Blue and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## SDS3-9x40S




- Battery: None
- Tube: 1 inch
- Magnification: 3-9
- Eye Relief: 3.35" - 2.72"
- Weight: 0.7 lbs
- Length: 12.2"
- Includes: Rings, Dust Covers, Dust cloth, Instruction Manual and Allen Wrenches




# TACTICAL SCOPES

## TACTICAL 4-16X50 IRF/MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 4-16x
- Eye Relief: 3.18" - 4.01"
- Weight: 1.5 lbs
- Length: 13.3"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## TACTICAL 6-24X50 IRF/MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 6-24x
- Eye Relief: 2.99" - 3.52"
- Weight: 1.6 lbs
- Length: 15.63"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## TACTICAL 10-40X50 IRF/MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 10-40x
- Eye Relief: 2.88" - 3.04"
- Weight: 1.6 lbs
- Length: 16.8"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## TACTICAL 5-30X56 MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 5-30
- Eye Relief: 3.47"
- Weight: 1.7 lbs
- Length: 14.57"
- Illumination: Red, Blue, and Green
- Includes: Rings, Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches






# ELITE SCOPES

## ES2.5-10x42MOA



- Battery: CR2032
- Tube: 30mm
- Magnification: 2.5-10
- Objective: 42mm
- Weight: 1.3 lbs
- Length: 12.99"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## ES3.5-25x56




- MOA: 1/4
- Tube: 35mm
- Magnification: 3.5-25
- Objective: 56mm
- Weight: 2.1 lbs
- Length: 14"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches






## ES4-16X56 MDG



- Battery: CR2032
- Tube: 30mm
- Magnification: 4-16
- Eye Relief: 3.66" - 3.35"
- Weight: 1.7 lbs
- Length: 12.6"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Rings, Instruction Manual and Allen Wrenches

## ES8-32X56 MDG




- Battery: CR2032
- Tube: 30mm
- Magnification: 8-32
- Eye Relief: 4.2" - 3.46"
- Weight: 1.7 lbs
- Length: 14.9"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Rings, Instruction Manual and Allen Wrenches

# FIRST FOCAL PLANE SCOPES



## ES5-25x56FFP




- Objective: 56mm
- Tube: 34mm
- Magnification: 5-25
- Weight: 2.3 lbs
- Length: 14.6"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches






## ED7-35x56FFP



- Objective: 56mm
- Tube: 34mm
- Magnification: 7-35
- Glass Etched Reticle
- Weight: 2.4 lbs
- Length: 15.98"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

## ED2.5-20x50FFP



- Objective: 50mm
- Tube: 34mm
- Magnification: 2.5-20
- Glass Etched Reticle
- Weight: 2 lbs
- Length: 12"
- Illumination: Red, Blue, and Green
- Includes: Dust Covers, Dust cloth, Battery, Instruction Manual and Allen Wrenches

# SPOTTING SCOPES & TRIPODS



## SPOTTING SCOPE 15-45x60



- Length: 13.2 inches
- Prism Glass: BAK-4
- Magnification: 15-45
- Eye Relief: 15mm- 12mm
- Weight: 1.7 lbs
- Includes: Table Tripod

## SPOTTING SCOPE 20-60x80



- Length: 17.2 inches
- Prism Glass: BAK-4
- Magnification: 20-60
- Eye Relief: 13.5mm- 11mm
- Weight: 2.6 lbs
- Includes: Table Tripod



## TP-OSP-20-60x80



- Max Operating Height: 1,400 mm
- Min. Operating Height: 545 mm
- Field Height: 560 mm
- Max Tube Diameter: 21.2 mm x 16.2 mm
- Max Load Capacity: 3 kg
- Net Weight: 35 ounces

## OSP-CAM-ADP



Attach any smart phone to take crystal clear pictures through the Hoya lenses of our spotting scopes.









# BINOCULARS & MONOCULARS

## 10-22x50 BINOCULARS



- Black matte
- Waterproof, fog proof
- Argon gas filled
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

## 10x42 BINOCULARS



- Black matte/rubber coated
- Waterproof, fog proof
- BAK4 prism
- Argon gas filled
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

## 8x34 BINOCULARS



- Rubber coated
- Waterproof, fog proof
- BAK4 prism
- Argon gas filled
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

## 10x26 BINOCULARS



- Black matte
- Waterproof, fog proof
- BAK4 prism
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

## 10x25 BINOCULARS



- Black matte or camouflage
- Waterproof, fog proof
- Fully multi-coated lens
- Comes with case
- Lifetime warranty

## 10x42 GREEN BINOCULARS



- Green matte
- Waterproof, fog proof
- BAK4 prism
- Fully multi-coated lens
- Comes with case & lens cover
- Lifetime warranty

## 8-42 MONOCULAR



- Black matte
- Waterproof, fog proof
- Fully multi-coated lens
- Comes with case
- Lifetime warranty

## OSP-BIN-ADP



- Secure attachment for binoculars to a tripod
- Provides a hands-free addition to binocular use
- Lightweight and portable design
- Helps ease eye strain





# RANGEFINDERS



## 1200Y RANGEFINDER



Elevate your precision shooting with the Osprey Global 1200-Yard Laser Rangefinder, designed for accurate distance measurement.

## 10x42 Laser Rangefinder Binocular



Experience the best of both worlds with the RF-OSP-BIN10x42, combining the functionality of a laser rangefinder and the clarity of 10x42 roof prism binoculars.

## 400M RANGEFINDER



This rangefinder comes complete with Hoya Lenses and has pin-point accuracy up to a maximum of 400 yards.

# RED DOT & REFLEX SIGHTS



**OSP-RD-FO**



- Battery: CR2032
- Objective: 30mm
- Length: 4.7 in
- Weight: 11 oz
- Illumination: Red & Green Dot

**OSP-RD-FO-GL**



- Battery: CR1620, 14250 (LASER)
- Objective: 30mm
- Length: 4.7 in
- Weight: 11 oz
- Illumination: Red & Green Dot





## MRS-OSP-COMPMULTI



- 6 Reticle Patterns (Including Night Vision feature)
- 5 Levels of Brightness
- Dot Size: 3MOA Dot
- Motion activated function
- Mount type: RMS Footprint
- 1pc CR1632 Lithium Battery

## MRS-OSP-COMPMULTI-2



- 6 Reticle Patterns (Including Night Vision feature)
- 5 Levels of Brightness
- Dot Size: 3MOA Dot
- Motion activated function
- Mount type: RMR Footprint
- Battery: Rechargeable Lithium Battery LIR2032



## MRS-OSP-COMPGD



- Output Power < 0.39MW
- Wavelength 520nm
- Voltage 3V
- Battery: 1pc of CR1632
- Objective Lens: 22mmx16mm
- 3MOA
- Shake to wake feature

## MRS-OSP-FULLGD



- Output Power < 0.39MW
- Wavelength 520nm
- Voltage 3V
- Battery: 1pc of CR1632
- Objective Lens: 22.5mm x 16mm
- 3MOA
- Shake to wake feature

## MRS-OSP-FULL



- Output Power < 0.39MW
- Wavelength 650nm
- Voltage 3V
- Battery: 1pc of CR1632
- Objective Lens: 22.5mm x 16mm
- 2MOA






## HGMRQR




- Magnification: 1x
- Battery: LR41 (3)
- Length: 3.2 inches
- Weight: 0.3 lbs
- Illumination: Red & Green



## DSMRQR



- Magnification: 1x
- Battery: CR2032
- Length: 3.3 inches
- Weight: 0.4 lbs
- Illumination: Red, Green and Blue



## RSMRQR



- Battery: LR41 (3)
- Length: 3.31 inches
- Weight: 0.3 lbs
- Quick-release mount
- Illumination: Red & Green







# LASERS

## LASER DESIGNATOR



- Battery: CR123A lithium
- Length: 6.3 inches
- Weight: 8.96 ounces

## ULTRA THIN GREEN LASER



- Battery: 4 X LR44
- Length: 2.4 inches
- Weight: 1.12 ounces

## RAIL GREEN LASER



- Battery: 2 X CR 1/3 N
- Length: 2.5 inches
- Weight: 1.57 ounces

## ULTRA THIN RED LASER



- Battery: 3 X LR44
- Length: 2.4 inches
- Weight: 1.12 ounces



## MINI GREEN LASER COMBO



- Small Design for Compact Size Pistols
- Combo Output Power: 5mW
- Wavelength: 510-535nm/Class
- 3a Laser Product/500 Lumen Flashlight



## BLU-OSP-FLRE



- Combo Output Power: 5mW
- Wavelength: 510-535nm/Class
- 3a Laser Product/500 Lumen Flashlight



## GREEN LASER COMBO



- Battery: CR123A lithium
- Length: 3.3 inches
- Weight: 5 ounces
- 300 lumen flashlight



## BG-OSP-GBLFL



- LED Laser: Blue and Green
- 1000 Lumen Flashlight
- Battery: 2x CR123 or (1) 18650 rechargeable battery(included)

## BATTLEGRIP GREEN OR BLUE LASER



- Battery: 3 X CR123A lithium
- Length: 7.5 inches
- Weight: 20 ounces

## RIFLE GREEN LASER



- Battery: CR123
- Length: 3.54 inches
- Weight: 4.2 ounces

## RIFLE BLUE LASER



- Battery: CR123A lithium
- Length: 3.5 inches
- Weight: 3.7 ounces





## MINI RED LASER



- Battery: 3 X LR41
- Length: 1.125 inches
- Weight: 1.1 ounces

## GRN-OSP-1000LLC



- Battery: Rechargeable Type C
- 1000 Lumen Cree LED Flashlight
- Light Distance: 200 meters/656 ft at night
- 5MW Green Laser

## GRN-OSP-GLR



- Battery: CR 1/3 N
- Length: 2 inches
- Weight: 5.53 ounces

## GRN-OSP-GLRRE



- Rechargeable/Output Power: <5mWinches
- Wavelength: 510-535nm/class
- 3a Laser Product/Voltage: 30V (Rechargeable Battery)

# FLASHLIGHTS

## FL-OSP-300L



- Battery: 1 x CR2
- Lumens: 300
- Length: 2.54 inches
- Modes: 100%, strobe
- LED: CREE XPG2-S3

## FL-OSP-500L



- Battery: 1 x CR123A
- Lumens: 500
- Length: 3 inches
- Modes: 100%, strobe
- LED: CREE XML2-U2

## FL-OSP-600L



- Battery: 2 x CR123A
- Lumens: 600
- Length: 3.23 inches
- Modes: 100%, strobe
- LED: CREE XML2-U2

## FL-OSP-230 TACTICAL LIGHT



- Battery: CR123A lithium
- Lumens: 230
- Length: 3.15 inches
- Weight: 3 ounces
- LED: CREE XPE R3





## HHFL-OSP-1000L



- Battery: 3 x AAA
- Lumens: 1000
- Length: 6.25 inches
- Modes: 100%, 50%, 10%, SOS, strobe
- LED: CREE XPL-V4

## HHFL-OSP-600L



- Battery: 3 x AAA
- Lumens: 600
- Length: 6.25 inches
- Modes: 100%, 50%, strobe
- LED: CREE XML2-U2

## FL-OSP-4CLR



- Battery: 3 x AAA
- Lumens: 340
- Light Distance (Meters): 100
- Modes: white light/red light/  
green light/blue light

# HEADLAMPS

## HL-OSP-600L



- Battery: 1 x 18650 li-ion (rechargeable)
- Lumens: 600
- Modes: 100%, 50%, 25%
- Weight: 3.7 ounces
- LED: 1 x CREE XML2-U2

## HL-OSP-400L



- Battery: 2 x CR123A
- Lumens: 400
- Modes: 100%, strobe
- Weight: 6.1 ounces
- LED: 1 x CREE XPG2-S3

## HL-OSP-320L



- Battery: 3 x AAA
- Lumens: 320
- Modes: 100%, 50%, 25%
- Weight: 3.9 ounces
- LED: 1 x CREE XPG2

## HL-OSP-180L



- Battery: 3 x AAA
- Lumens: 180
- Modes: n/a
- Weight: 3.6 ounces
- LED: 1 x LG535



# Boresights



Patent# 6,622,414

RE 429,40

## RIFLE AND PISTOL BORESIGHTS

Available in:

- 12 Gauge
- 17HMR
- 20 Gauge
- 22-250, 6.5 Creedmoor
- 223 (also fits: 5.6 nato, 6x47, 6x45, 257 kimber, 222)
- 224 Valk
- 22 Long Rifle
- 30-06 (also fits: 270 win, 25:06)
- 30-30
- 30 Carbine
- 300 AAC Blackout (also fits 7.62x35mm)
- 300 WIN
- 300WSM (also fits 270WSM)
- 350 Legend
- 380ACP (also fits 380 Auto)
- 264 WIN (also fits: 7mm mag, 338 win, 7mm weatherby, 340 weatherby, 257 weatherby, 358 norma mag, 308 norma mag, 7mm shooting times western)
- 308 (also fits: 243 win/7mm, 08, 260, 7.62x54, 307win, 444 marlin, 220 jay bird, 22mark-2, 356, 7mm shooting time eastern, 7.62x51, 358 win)
- 338 Lapua
- 38 Special (also fits: 357 mag)
- 40 Smith & Wesson (also fits: 10mm)
- 44 Remington
- 45-70 Government
- 45 ACP
- 45 Colt (also fits: 410 shotgun)
- 450 Bushmaster
- 5.7x28 FN
- 50 BMG Red or Green
- 6.5 Creedmoor Green
- 7.62x39
- 7.62x54
- 7MM REM MAG (also fits 338 WIN MAG, 264WIN MAG)
- 9mm

# Boresight Kits

## BS-OSP-223GKIT3ARB



### Rifle Boresight Kit Includes:

- 1x .223 green laser boresight
- 1x Arbor 30-06/25-06/270WIN
- 1x Arbor 308/7MM-08/243/260
- 1x Arbor 264WIN/7MMREM/338WIN

## BS-OSP-223GKIT2SG



### Shotgun Boresight Kit Includes:

- 1x .223 green laser boresight
- 1x 12 GA arbor
- 1x 20 GA arbor

## BS-OSP-223GKIT Boresight Kit with all Arbors



11 arbors available to fit the following guns:

- 12 gauge
- 20 gauge
- 50 BMG
- 264, 7MM REM MAG, 7MM Shooting Times Western, 338 WIN MAG
  - 30-06, 270 WIN, 25-06, 280 REM
  - 300 WIN
  - 300 WSM, 270 WSM
- 308, 260 REM, 7MM-08, 356 WIN, 358 WIN, 307 WIN, 338 FED
  - 338 Lapua
  - 7.62x54
  - 8MM

# ACCESSORIES

## EM-OSP-82DB



Cushioned for enhanced comfort while shooting a box of your favorite rounds. Ultra low profile protects your hearing without interfering with your shot (NNR noise reduction rating 25db)

## TACTICAL SLINGS



Available in green, black and tan. Osprey Bungee 1 or 2 Point Sling converts from two point to single point. This Osprey Gun Sling has dual high strength bungee construction and features HK snap hook adapter covered with elastic cover and side-quick release buckle.

## FREE FLOATING KEYMOD HANDGUARDS



Osprey's free floating keymod handguards come in 4 lengths. Sizes: 7 inch, 10 inch, 12 inch and 15 inch.

## QUAD RAILS



The Osprey 2-piece/ carbine length quad rail handguard allows the operator to mount vertical fore grips, lights, lasers and optics on the handguard. Lightweight aluminum construction adds versatility without adding weight. Available in black, tan and green.



## 4" SUNSHADES FOR SCOPES

Made of aluminum alloy. Reduces glare in bright light.  
Items: SS4-OSP-E56MM, SS4-OSP-E50MM,  
SS4-OSP-56MM



## 45 DEGREE ANGLE MOUNT AGM-OSP-45D

Allows user to rotate weapon 45 degrees for quick acquisition. Fits a 45-degree offset Picatinny mount. Attaches to Weaver or Picatinny.



## Swivel Bipod BP-OSP-BLK

Swivel bipod with five leg positions and height options. Quick attach/detach design for fast setup. Swivel function adds flexibility.




## Compact One Piece Mount MT- OSP-1PCCOMP

Lightweight aluminum alloy 30MM one-piece mount. Easy installation with built-in level. Fits Osprey scopes including but not limited to the CP3942IRF/MDG, 1-6x24, 1-4x24, SD6x42MOA, SD4x32MOA, 4x32CB (with shims), CP3-9x40MD (with shims), SD1.5-5x32MDG (with shims), and SD2.5x20DP (with shims).



## RISERS

Made of aluminum alloy, available in multiple lengths and heights (inch or half inch).




## QUICK DETACH SLING PLATE SSP-OSP-QD

One piece sling mount that goes over castle nut. Ambidextrous with push button on top for quick release from sling.



## LADDER RAIL COVERS

These have 4 pieces and can be cut to size carbine length. Protects unused rail and safe guards hands. Available in black, tan and green.




## RUBBER RAIL COVERS

Engineered to survive the most extreme conditions. Constructed from durable, heat and chemical resistant polymer resin. Protects unused rail space from damage. Available in black, tan and green.



## SSH-OSP-SLG

Compact and easy to install. An ideal sling mounting solution.



## HS-OSP-CP

Small holster for sub-compact.  
Material: 1680 D Oxford cloth.  
Size: 155 x 105 MM.



## HS-OSP-LG

Large holster for full size.  
Material: 1680 D Oxford cloth.  
Size: 192 x 108 MM.



# COMING SOON!



## Thermal Dual Light Fusion Scope

- Modes: Daytime, Night Vision,
- Thermal, Dual (Day and Thermal),
- PIP (Picture-in-Picture)
- Color Palettes: 7 thermal options
- (White Hot, Black Hot, Rainbow, Hottest Red, Green Hot, Dark, Brown, Iron Hot)
- One-shot digital zero
- Detection Range: 1100 yards
- 4 Crosshair styles, 5 Crosshair colors
- 5 YEAR WARRANTY

The ONT-OSP-5XMAG is a tough scope built for both day and night hunts. It has a powerful thermal sensor to spot heat and a full-color camera for clear daytime views. Equipped with Wi-Fi and SD card compatibility for flexible data transfer and storage. You can switch between different viewing modes, and it's easy to sight in with quick one-shot zeroing. Whether you're tracking game, scouting, or on a mission, this scope helps you see clearly in any condition.



White Hot




Black Hot



Rainbow




Hottest Red



Green Hot



Dark Brown



Iron Hot



# OSPREYSCOPES.COM

## Where to find Osprey Global

